 Zona Industrial Los Pinos, Manzana 37 Galpón 8,
Puerto Ordaz, Edo. Bolívar. Venezuela.


 romiplast1@gmail.com

J-31006834-8
ROMIPLAST, C.A.

CATÁLOGO DE SELLOS





www.romiplast1.com



MATERIAL
POLIURETANO
RANGO DE TEMPERATURA
-22° a +212° F
RANGO DE PRESIÓN
0 a 6.000 PSI

Código	Medidas (mm)				Código	Medidas (mm)			
	d	D	h	H		d	D	h	H
DHS-01	10	15	3.8	6.4	DHS-49	40	50	7	10
DHS-02	10	20	4	8	DHS-50	42	50	4	7
DHS-03	11.2	19.2	4.5	6	DHS-51	43	51	5	6.5
DHS-04	12	16	3	4	DHS-52	44.5	54	5.5	7.3
DHS-05	12	18	3.9	6	DHS-53	45	53	5	6.5
DHS-06	12	20	4.5	6	DHS-54	45	55	5	6.5
DHS-07	12.5	20.5	4.5	6	DHS-55	45	57	5	9
DHS-08	13	20	5	6.5	DHS-56	46	54	4.5	5.8
DHS-09	14	22	4.5	6	DHS-57	47	57	7	10
DHS-10	16	22	3.6	4.8	DHS-58	48	56	5	6.5
DHS-11	16	24	4.5	6	DHS-59	48	65	5	6.5
DHS-12	16	26	7	9.5	DHS-60	50	58	5	6.5
DHS-13	18	24	3.6	4.8	DHS-61	50	63.5	7	10
DHS-14	18	26	4.5	6	DHS-62	51	60	5.5	7.5
DHS-15	18	28	4	8	DHS-63	53	61	5	6.5
DHS-16	19	26	2.5	4	DHS-64	55	63	5	6.5
DHS-17	19	27	4.5	6	DHS-65	55	65	5	7
DHS-18	20	26	3	6	DHS-66	56	64	5	6.5
DHS-19	20	28	4.5	6	DHS-67	56	66	6	8
DHS-20	20	30	7	10	DHS-68	58	66	5	6.5
DHS-21	20	32	5	10	DHS-69	60	68	5	6.5
DHS-22	22	30	4.5	6	DHS-70	60	70	5.3	7.3
DHS-23	22	33.8	3	5	DHS-71	60	73	7	10
DHS-24	22.4	30.4	4.5	6	DHS-72	63	71	5	6.5
DHS-25	23.5	31.5	4.5	6	DHS-73	65	73	5	6.5
DHS-26	24	32	4.5	6	DHS-74	66	74	4.5	6.5
DHS-27	24.2	31.5	4.5	6	DHS-75	67	75	5	6.5
DHS-28	25	30	4.5	6	DHS-76	68	81	6.5	11
DHS-29	25	33	4.5	6	DHS-77	70	78	4	7
DHS-30	25	35	5.3	7	DHS-78	70	80	6	8
DHS-31	25	36.8	5	8	DHS-79	71	81	6	8
DHS-32	26	32	4.2	6	DHS-80	75	85	6	8
DHS-33	26	34	4.5	6	DHS-81	80	88	4	7
DHS-34	27	35	4.5	6	DHS-82	80	90	6	8
DHS-35	28	36	4.5	6	DHS-83	80	93	7	10
DHS-36	28	40	5	10	DHS-84	84	99	6.5	11
DHS-37	30	38	5	6.5	DHS-85	85	95	6	8
DHS-38	30	40	5	6.5	DHS-86	85	98	6	9
DHS-39	31.5	39.5	5	6.5	DHS-87	88	98	6	8
DHS-40	32	40	5	6.5	DHS-88	90	98	5	8
DHS-41	32	41	6	9	DHS-89	90	100	6	8
DHS-42	32	43.8	5	6.5	DHS-90	92	105	7	10
DHS-43	35	43	5	6.5	DHS-91	95	105	6	8
DHS-44	35	45	5	7	DHS-92	98	108	6	8
DHS-45	35.5	43.5	5	6.5	DHS-93	98	113	6	9
DHS-46	36	44	4.5	5.8	DHS-94	100	110	6	8
DHS-47	38	46	5	6.5	DHS-95	100	112	8	10
DHS-48	40	48	5	6.5	DHS-96	100	115	6	8.5



MATERIAL
POLIURETANO
RANGO DE TEMPERATURA
-22° a +212° F
RANGO DE PRESIÓN
0 a 6.000 PSI

Código	Medidas (mm)			
	d	D	h	H
DHS-97	105	115	6	8
DHS-98	105	118	6	8
DHS-99	110	120	6	8
DHS-100	110	123	6	9
DHS-101	110	125	6	9
DHS-102	112	122	6	8
DHS-103	115	125	6	8
DHS-104	118	128	6	8
DHS-105	120	130	6	8
DHS-106	124	139	6	9
DHS-107	125	135	6	8
DHS-108	125	138	7	9.5
DHS-109	125	140	6	8.5
DHS-110	130	140	7	9.5
DHS-111	130	143	7	9.5
DHS-112	135	148	6	9
DHS-113	136	149	7	9.5
DHS-114	140	150	7	9.5
DHS-115	140	153	7	9.5
DHS-116	140	160	8	16
DHS-117	145	155	7	10
DHS-118	145	158	7	9.5
DHS-119	149	164	6	9
DHS-120	150	162	8	10
DHS-121	150	165	7	9.5
DHS-122	150	168.5	9	14
DHS-123	155	165	7	9.5
DHS-124	160	170	7	9.5
DHS-125	160	174	7	9.5
DHS-126	160	175	8.5	12
DHS-127	162	175	6	9
DHS-128	165	175	7	10
DHS-129	165	179	7	9.5
DHS-130	170	184	7	9.5
DHS-131	177	192	6	9
DHS-132	180	190	6.8	7.6
DHS-133	180	194	7	9.5
DHS-134	180	195	6	9
DHS-135	180	198.5	9	14
DHS-136	185	195	7	9.5
DHS-137	187	200	7	9.5
DHS-138	200	214	7	9.5
DHS-139	205	214	7	9.5
DHS-140	207	217	5	7
DHS-141	210	214	7	9.5
DHS-142	210	220	7	10
DHS-143	210	226	7	9.5
DHS-144	212	226	7	9.5

Código	Medidas (mm)			
	d	D	h	H
DHS-145	220	234	7	9.5
DHS-146	230	244	7	9.5
DHS-147	250	264	7	9.5
DHS-148	265	280	7	9.5